



AGENDA

Regular Meeting of Council of the City of Kenora

Tuesday, December 15, 2020

12:00 p.m.

Virtual

Due to the COVID-19 Pandemic, Council will be meeting electronically as permitted in accordance with their Procedural Bylaw. Citizens and our Media Partners are encouraged to attend the virtual meeting via the Public Live Stream Event at:

<https://video.isilive.ca/kenora/>

1. Call to Order

2. Blessing – Councillor McMillan

3. Public Information Notices

As required under Notice By-law #144-2007, the public is advised of Council's intention to adopt the following at today's meeting:

- Council will approve the 2021 Capital Budget

4. Declaration of Pecuniary Interest and the General Nature Thereof

The Mayor will ask if any Member of Council has any Declarations of Pecuniary Interest and the General Nature Thereof pertaining to any items as follows:

- i) On today's agenda or from a previous meeting;
- ii) From a meeting at which a Member was not in Attendance

5. Confirmation of Previous Council Minutes

- Regular Council – November 17, 2020

6. Presentations/Deputations

Approximately five (5) minutes per person/group

7. Additions to Agenda (urgent only)

8. Appointments

- None

9. Reports from Committee of the Whole

9.1 Administration & Finance

- October Financial Statements
- 2018 Write Off's
- Amendment to HR Policy #2-7-2 Business Travel, Seminars & Conferences
- 2021 Capital Budget Approval

9.2 Fire & Emergency Services

- No Reports

9.3 Operations & Infrastructure

- No Reports

9.4 Community Services

- Norman Park Application Under the Inclusive Community Grant Program

9.5 Development Services

- Submission to Ontario Rebuilding and Recovery Act: Accelerating Infrastructure Initiatives—Municipal Engagement
- Investing in Canada Infrastructure Program—COVID-19 Resilience Infrastructure Stream Project Submission
- City of Kenora Request for a Reduction in Policing Costs
- Zoning Bylaw Amendment D14-20-02 – River Street, Keewatin
- Zoning Bylaw Amendment D14-20-03 – 323 Peterson Drive

10. Housekeeping Resolutions

- LAS Energy Agreement
- NOHFC Agreement – Economic Development Intern
- Provincial Offences Write Offs
- Section 357s
- Treaty Three Police Airboat Partnership
- Various Committee Minutes
- October 2020 Water & Wastewater Systems Monthly Systems

11. Tenders

- None

12. By-laws

Council will give three readings to the following by-laws: -

- Confirmatory
- Amendment to HR Policy #2-7-2 Business Travel, Seminars & Conferences
- 2021 Capital Budget Approval
- Zoning Bylaw Amendment D14-20-02 – River Street, Keewatin
- Zoning Bylaw Amendment D14-20-03 – 323 Peterson Drive
- LAS Energy Agreement
- NOHFC Agreement – Economic Development Intern

13. Notices of Motion

14. Proclamations

- None

15. Announcements (non-action)

16. Adjourn to a Closed Session

That pursuant to Section 239 of the Municipal Act, 2001, as amended, authorization for Council to move into a Closed Session to discuss items pertaining to the following: -

- i) Education & Training Members of Council (2 matters-CAO & Mayor Update)
- ii) Disposition of Land (2 matters-Keewatin Medical Centre, dog park)
- iii) A position, plan, procedure, criteria or instruction to be applied to any negotiations carried on or to be carried on by or on behalf of the municipality or local board (1 matter-Planning Procedures)

17. Adjourn Meeting

Information on Voting by Mayor & Council under The Municipal Act, 2001

243. Except as otherwise provided, **every member** of a council shall have **one** vote;

245. Any question on which there is a **tie vote shall be deemed to be lost**, except where otherwise provided by any Act;

246. (1) If a member present at a meeting at the time of a vote requests immediately before or after the taking of the vote that the vote be recorded, each member present, except a member who is disqualified from voting by any Act, shall announce his or her vote openly and the clerk shall record each vote;

(2) A **failure to vote** under subsection (1) by a member who is present at the meeting at the time of the vote and who is qualified to vote shall be **deemed to be a negative vote**.



Housekeeping Reports
NOT attached to
Committee of the
Whole Agenda



December 8, 2020

Housekeeping Council Briefing

(Direct to Council – does not appear at COW)

Agenda Item Title: Energy Planning Tool Service Agreement with Local Authority Services (LAS)

Background Information:

Local Authority Services (LAS), part of the Association of Municipalities Ontario group, is the City of Kenora Commodity Program Provider for Electrical and Natural Gas Services. As part of this service they record energy consumption for the City which we use to populate our yearly regulatory requirement for the Ministry of Energy, Northern Development and Mines. The data is entered manually into the report portal. This agreement allows us to use their energy planning tool which combines that current information and track benchmarks for our Conservation and Demand Management Plan, Annual Consumption and GHG Emission Report and ability to provide consumption reports on different facilities on demand. It will also combine data in a ready report for the MOE.

Resolution for Council:

That three readings be given to a bylaw to execute an agreement between the Corporation of the City of Kenora and Local Authority Services (LAS) for the Energy Planning Tool; and further

That the Parks and Facilities Division Lead be authorized to execute this agreement.

Budget: \$ 250.00 + H.S.T.

Risk Analysis: There is low risk associated with this report and is administrative in nature.

Communication Plan/Notice By-law Requirements: By-law required to authorize the signing of the agreement

Strategic Plan or Other Guiding Document: Administrative only

Briefing By: Stace Gander, Community Services Manager

Bylaw Required: Yes



November 22, 2020

Housekeeping Council Briefing

(direct to Council – does not appear at COW)

Agenda Item Title: 2020 POA Write Offs

Background Information:

The transfer of Provincial Offences administration took place in 2000 with the functions of court administration and court support functions for the proceedings of Part I, II and III matters of the Provincial Offences Act. The City of Kenora entered into an Inter-municipal Service Agreement with the Municipal Partner areas of Red Lake and Sioux Narrows/Nestor Falls to administer the court services for their municipalities along with Kenora. Under our Memorandum of Understanding (MOU), the Ministry of the Attorney General mandates that we create an annual write off listing and keep our accounts receivable current.

Although these accounts will be purged, a database is maintained with the listing of all of the outstanding accounts in the event that we are successful in retaining payment on any of these written off fines. We no longer write off Ontario drivers who have been suspended, these outstanding receivables from Highway Traffic Act fines now stay on suspended driver's records. For the most part the purged accounts include unpaid Liquor Licence Act fines and those of deceased persons.

Staff had additional time this year during the closures due to COVID-19 (court cancellations) to do a thorough review of all files. Some eligible write offs that were overlooked in previous years were flagged during the review, in addition checks for obituaries resulted in write offs for several deceased persons, some of which were repeat offenders, resulting in a higher dollar amount being written off for 2020.

Please be assured that a complete list of all write-offs are being maintained and will continue to be pursued in our collections processes, which includes working with collection agencies to locate these defendants.

Resolution for Council:

That Council of the City of Kenora hereby approves the write off receivables list from the Provincial Offences department for the period of January 1, 2013 to December 31, 2013 in the amount of \$184,297.04.

Budget: N/A

Risk Analysis: As per the requirements in the City's ERM Policy, there is low governance risk and this would be managed by routine procedures. This is an administrative housekeeping report as POA write offs are authorized by the Ministry of the Attorney general under the MOU.

Communication Plan/Notice By-law Requirements: N/A

Strategic Plan or Other Guiding Document: The City will continue to build and strengthen our working relations

Briefing By: Heather Lajeunesse, Enforcement Division Lead

Bylaw Required: No



December 15, 2020

Housekeeping Council Briefing

(direct to Council – does not appear at COW)

Agenda Item Title: Tax Appeals under Section 357 of the Municipal Act, 2001

Background Information: The cancellation and refund of taxes are dealt with by Council under Section 357 of the Municipal Act. They typically relate to properties that have had an assessment reduction due to a change in assessment, classification, fire, demolition, substantially damaged or repair preventing normal use.

Resolution for Council:

That Council hereby approves Section 357 tax adjustment with potential refunds totaling \$3,078.50.

Budget:

The municipal share of the tax reduction relating to the Section 357 adjustment is \$2,233.32.

Risk Analysis:

There is a low level of risk as the applicants may appeal the decision of City Council to the Assessment Review Board.

Communication Plan/Notice By-law Requirements:

Property owners receiving a Section 357 adjustment will be notified in writing of the applicable refund amount.

Strategic Plan or Other Guiding Document:

Legislative requirement.

Briefing By: Rachel Jaworowicz, Tax Collector

Bylaw Required: No

November 30, 2020

Housekeeping Council Briefing

Agenda Item Title: Treaty Three Police Airboat Partnership

Background Information:

The City of Kenora Fire and Emergency Services (KFES) was approached by Treaty Three Police (T3P) in June of 2020 for interest in partnering with T3P in supporting their purchase of an airboat for the use by local emergency service providers in the Kenora area. The proposal was for T3P to purchase the airboat and for Kenora Fire and Emergency Services would store and ensure the airboat is in a ready state for emergency use. In return KFES would have full access to the airboat for use and deployment in the City of Kenora.

As a result, I am pleased to announce that Treaty Three Police were successful in the purchase of a 24 foot, 1000 Island Airboat that will be equipped for emergency use. The airboat is expected to be delivered in late 2020 or early 2021. Airboat training is scheduled to commence in January of 2021 where four members of KFES, along with Treaty Three Police and Ontario Provincial Police members will be trained as trainers in the safe use and deployment of the airboat. In return Kenora Fire will train T3P users in the proper use of water/ ice rescue boat based tools and techniques.

www.1000islandairboats.com



Full access to the Treaty Three Police airboat will greatly enhance KFES emergency deployment on Lake of the Woods, Coney Island and surrounding water bodies within the City of Kenora, especially during fall freeze up and spring thaw seasons when traditional boats cannot be utilized.

Resolution for Council:

That Council supports the partnership between the Treaty Three Police Service and Anishinaabe partners with the Kenora Fire and Emergency Service for the purchase and operation of an airboat; and further

That Kenora Fire & Emergency Services will store the airboat at Station 1 for use by all our policing partners in the Kenora area in emergency situations.

Budget: No Budget to minimal budget effects in training, and minor equipment purchases which will be absorbed into the 2021 Operating Budget.

Communication Plan/Notice By-law Requirements: Media release with Treaty Three Police in January 2021.

Strategic Plan or other Guiding Document:

Aligns with the City of Kenora's Goals and Corporate Actions: Foundations, as contained within Strategic Plan 2015-2020, specifically, "the City will ensure prompt and immediate response times supported by resilient communications in the event of system outages and other emergencies."

Aligns with the City of Kenora's Values contained within Strategic Plan 2015-2020, specifically, Corporate Actions: Our People, "the City will forge stronger relations with neighbouring communities and area municipalities by City staff, particularly those that help ensure tight co-ordination of emergency response situations, disaster relief efforts and clear communication protocols between the City of Kenora, the Ontario Provincial Police, and the neighbouring communities";

We strive for continuous service improvements through innovation, leadership and best practices; we consider community, public and workplace safety in every decision we make; we manage the municipal finances in a responsible, prudent and transparent manner;

The City will continue to build and strengthen our working relations with other neighbouring municipalities and Treaty Three First Nations partners.

Risk Analysis: As per the City's ERM Policy, there is minimal risk associated with this project as KFES will continue to perform water/ice rescue and use the Kenora Fire boat for deployment. Minimum financial risk as any expenses can be realized within current and future Operational budgets.

Briefing By: Todd Skene, Fire Chief / CEMC

Bylaw Required: No

December 1, 2020



Housekeeping Council Briefing (direct to Council – does not appear at COW)

Agenda Item Title:

Receipt and Approval of Various Committee Minutes

Background Information:

This static monthly report is for the purpose of Council approving and/or receiving various Committee Minutes. Those being approved are the Committees of Council which Council should be approving the actions of those Committees and does so in the form of a by-law under the Confirmatory By-law.

The Minutes being received are typically from local Boards or Corporations for information only (and cannot be 'approved' by Council).

The various Minutes will appear under separate cover as an attachment on SharePoint to this report.

Resolution for Council:

That Council hereby adopts the following Minutes from various City of Kenora Committees:

- October 22, 2020 – The Muse

That Council hereby receives the following Minutes from other various Committees:

- September 24, 2020 - Kenora Police Services Board
- June 26, August 28, September 25, & October 30, 2020- Northwestern Health Unit; and further

That these Minutes be circulated and ordered filed.

Briefing By: Kelly Galbraith, Deputy Clerk

Bylaw Required: No



November 30, 2020

Housekeeping Council Briefing (direct to Council – does not appear at COW)

Agenda Item Title: 2020 Water & Wastewater Systems Monthly Summary Report – October

Background Information:

The Water and Wastewater Division will be providing Council with Water and Wastewater Systems Summary Reports, on a monthly basis.

The purpose of the Report is to provide Council with an understanding on how the water and wastewater systems they own and operate are maintained. Data will be collected at the end of each month and presented to Council for acceptance, see attached.

The Operations and Infrastructure Department recommends that Council accept the 2020 Water and Wastewater Systems Monthly Summary Report for October.

Resolution for Council:

That Council of the City of Kenora hereby accepts the October 2020 Kenora Water and Wastewater Systems Monthly Summary Report, as prepared by City administration.

Budget: N/A

Risk Analysis:

The risk level is low to moderate. The monthly reporting is standard practice for transparency purposes, and an opportunity to further Council's understanding of the Division's monthly budgeting. No mitigating strategies are required.

Communication Plan /Notice By-law Requirements:

Resolution required. Jeff Hawley, WTP, WWTP

Strategic Plan or other Guiding Document:

Goal #2 Strengthen Our Foundations

2-1 The City will ensure that our municipal infrastructure is maintained using available resources with the intent of moving towards all City infrastructure being in a good state of repair to ensure certainty, security and long-term stability of our systems.

2-2 The City will keep in the forefront that there is a significant infrastructure deficit, and current and future Councils will need to continue to work towards allocating sufficient resources to be able to adequately address this issue.

2-3 The City will ensure prompt and immediate response times supported by resilient communications in the event of system outages and other emergencies.

Briefing By: Jeff Hawley, Operations & Infrastructure Manager

Bylaw Required: No

CITY OF KENORA

Monthly Summary Report Water & Wastewater Systems

October 2020

Prepared by: Ray Lindquist, Water & Wastewater Team Lead
Ryan Peterson, ORO, Water Treatment Plant
Darryl Wilson, ORO, Wastewater Treatment Plant

1.0 Introduction

This report contains the major maintenance activities and operational events that occurred during the month of October 2020 at the Kenora Area Water Treatment Plant, Kenora Wastewater Treatment Plant, Water Distribution System and Wastewater Collection System. This information report has been prepared for Council to better understand how the systems they own and operate are maintained on a monthly basis.

2.0 Water Treatment Plant

2.1 Monthly Flow and Operating Data – See Schedule “A”

2.2 Weekly Bacteriological Samples

1 Raw, 1 Treated and 6 Distribution for a total of eight (8) samples are taken on a weekly basis.

Sampling was conducted on the following dates:

- October 5
- October 13
- October 19
- October 26

All samples tested were within the allowable parameters.

2.3 Maintenance

- Removed and cleaned alum flow meter.
- Replaced flash mixer and shaft in clearwell area.
- Replaced high lift sump pump.
- Changed clearwell influent analyzer electrolyte.

2.4 Training

- All operators participated in two Walkerton Clean Water Center CEU courses:
 - Prevention and Control of Nitrification in Distributions Systems
 - Emerging Issues: Cyanobacterial Toxins, DBP’s and Pathogens
- Two operators attended a WCWC Disinfection: Chlorine course.

2.5 Water Quality Complaints

- There were no water quality complaints in October.

2.6 Other Information

- Distribution chlorine residuals were collected on a weekly basis.
- Superchlorination tested and bactis collected for various new construction.
- Collected microcystin samples for algal monitoring program.

3.0 Water Distribution System and Wastewater Collection System

3.1 Maintenance

3.1.1. Water Distribution

- October 6, 7, 8 – Dug and replaced 150mm water main and 100mm tee at intersection of Valley Drive and 11th Avenue North. Very difficult spot with sewer manhole and gas line in work area.
- October 11 – Dug and replaced 100mm main valve at 11th Avenue North.
- October 19 – Dug and installed new shut off at 523 ½ 2nd Avenue South.
- October 26 – Dug and replaced leaking curb stop at 511 11th Street North.
- October 27 – Dug and repaired 200mm water main that feeds Sewage Plant.
- Shut down of Coney Island and Keewatin summer services.
- Shut down of all City seasonal services.

3.1.2. Wastewater Collection

- October 3 – Worked with Dominion Divers and replaced 50 feet of 250mm forcemain from Tunnel Island.
- October 20 – Dug and repaired 100mm in front of 1205 Ottawa Street.
- October 28 – Dug and replaced 25 feet of 150mm sewer lateral to main.
- 12 house calls for rodding.
- 3 grinder pump calls.

3.1.3. Water Thaws:

	October 2019	October 2020
City	0	0
Private	0	0

3.2 Training

- Mandatory training took place from October 6 to October 9.

3.3 Water Quality Complaints

- There were no quality complaints for the month of October, see item #2.5 for further details.

3.4 Boil Water Advisory(s) – 2020

- There were 3 boil water advisories issued.

3.5 Other Information

- There is no further information to report for the month of October.

4.0 Wastewater Treatment Plant

4.1 Monthly Flows & Operating Data – See Schedule “B”

4.2 Samples

4.2.1. **Monthly** – Laboratory Results from the Complete Analyses of Treated Effluent and Raw Sewage Samples sent out on October 20, 2020 as per the Certificate of Approval’s (COA’s) monitoring and recording requirements are:

- a. Raw Sewage – Total BOD₅ (biological oxygen demand): 110[mg/L]
- b. Final Treatment Effluent – Total CBOD₅ (carbonaceous biological oxygen demand): 1.9 [mg/L] – limit is 25 [mg/L].
- c. Raw Sewage – Total Suspended Solids: 88 [mg/L].
- d. Final Treated Effluent – Total Suspended Solids: 3.30 [mg/L] – limit is 25 [mg/L].

4.2.2. **Weekly** – Laboratory Results on the weekly samples of final treated effluent sent on October 6, 13, 20, 27 for E. Coli are:

- a. Geometric Means of the samples in October was 6.58 organisms/100mL.
- b. Geometric Means Limit as per Certificate of Approval is 200 organisms/100mL.

In summary, raw sewage enters the plant with E. Coli counts of approximately 3 million organisms/100 mL and effluent leaves the plant with a geometric mean of 6.58 organisms/100 mL, which is within the COA’s limit of 200 organisms/100 mL. Plant final effluent CBOD was 1.9 p.p.m., and final effluent T.S.S. was 3.30 p.p.m., both well within the C of A requirements.

4.3 Maintenance

- 4.3.1 Sludge press maintenance (clean and grease) 700 building.
- 4.3.2 Replaced control lights assembly in the MCC panel in the 100 building.
- 4.3.3 Electricians replaced heaters in the 200 building.
- 4.3.4 Kraynyk Welding welded leaky RAS line in the 600 building.
- 4.3.5 Greased barscreen, grit extractor, and organic return in the 100 building.

4.3.6 Lakeside process controls replaced two sludge flow meters in the 400 building.

4.3.7 Lakeside process controls replaced two polymer flow meters in the 700 building.

4.3.8 Cummins serviced and load tested both generators at the site.

4.3.9 KEM Construction finished concrete rehabilitation at the site.

4.4 Training

- Annual health and safety training

4.5 Other Information

4.5.1 Health and Safety inspection was conducted on October 7, 2020.

Schedule "A"

**Water Systems Flow and Operating Data
Monthly Summary Report - 2020**

Water Plant Flows		Units	January	February	March	April	May	June	July	August	September	October	November	December	TOTAL
<u>Influent Flow</u>															
Total Influent Flow	m ³ /month	203426	193407	207739	178911	192943	192373	212389	220049	194370	188032				1983639
Maximum Daily Influent Flow	m ³ /day	7236	7675	7650	6789	7409	7419	7931	8481	7975	7206				75771
Minimum Daily Influent Flow	m ³ /day	5891	6023	5769	5186	5309	5430	6086	6011	5101	5162				55968
Average Daily Influent Flow	m ³ /day	6562	6669	6701	5964	6224	6412	6851	7098	6479	6066				65026
Maximum Daily Instantaneous Influent Flow	m ³ /day	17741	17462	16742	17233	17451	17486	22215	20807	23079	18069				188285
<u>Effluent Flow</u>															
Total Effluent Flow	m ³ /month	189098	180655	193690	165218	177144	177331	195473	202434	177313	171934				1830290
Maximum Daily Effluent Flow	m ³ /day	6820	7213	7181	6018	6800	6786	7389	8302	6918	6546				69973
Minimum Daily Effluent Flow	m ³ /day	5349	5434	5443	4972	4806	5084	5499	4471	4864	4659				50581
Average Daily Effluent Flow	m ³ /day	6100	6229	6248	5507	5714	5911	6306	6530	5910	5546				60001
Plant Meter Reading	m ³ /month	3606	3395	3636	3296	3422	3400	3615	3710	3563	3464				
Compensated Total Effluent Flow	m ³ /month	185492	177260	190054	161922	173722	173931	191858	198724	173750	168470				1795183
<u>Samples</u>															
<u>Weekly Bacteriological</u>															
Number of Raw Samples Taken		5	4	5	4	4	5	4	5	4	4				44
Number of Treated Samples Taken		5	4	5	4	4	5	4	5	4	4				44
Number of Distribution Samples Taken		30	24	30	24	24	30	24	30	24	24				264
<u>Boil Water Advisory Bacteriological</u>															
Number Taken		0	0	3	1	2	0	2	4	0	10				22
WTP Callouts															
		4	6	5	2	2	16	12	9	9	6				71
Water Thaws															
	City	2	5	2	0	0	0	0	0	0					9
	Private	0	2	0	0	0	0	0	0	0					2
	Total	2	7	2	0	0	0	0	0	0					11

Schedule "B"

Wastewater Systems Flow & Operating Data Monthly Summary Report - 2020

Wastewater Plant Flows		January	February	March	April	May	June	July	August	September	October	November	December	TOTAL
<u>Influent Flow</u>														
Total Influent Flow	m ³ /mon.	182,766	167,004	196,433	236,210	222,161	321,521	206,069	182,466	172,130	151,816			2038576
Maximum Daily Influent Flow	m ³ /day	6,213	6,070	8,086	10,169	8,174	28,778	8,379	7,162	7,420	5,453			95904
Minimum Daily Influent Flow	m ³ /day	5,563	5,441	5,531	6,736	6,299	5,935	5,845	5,288	4,802	4,543			55983
Average Daily Influent Flow	m ³ /day	5,896	5,759	6,337	7,874	7,166	10,717	6,647	5,886	5,738	4,897			66917
<u>Effluent Flow</u>														
Total Effluent Flow	m ³ /mon.	169,696	151,757	174,390	205,527	190,124	282,420	280,933	271,542	261,954	209,341			2197684
Average Daily Flow	m ³ /day	5,474	5,233	5,625	6,851	6,133	9,414	9,062	8,759	8,732	6,753			72036
<u>Samples</u>														
<u>Weekly Bacteriological --ALS Labs</u>														0
Number of Raw Samples Taken		1	1	1	1	1	1	1	1	1	1			10
Number of Treated Samples Taken		5	4	5	4	4	5	4	4	5	4			44
Geometric Means (Bacti Samples)		26.67	16.81	3.68	4.33	7.2	40.76	9.67	6.45	6.39	6.58			128.54
Sludge Hauled to Landfill	m ³ /mon	319.2	273.6	262.2	285	353.4	319	102.6	296	205	148.2			2564.2
<u>Callouts</u>														
		9	0	0	0	0	2	3	3	4	5			26

Schedule "B"

Wastewater Systems Flow & Operating Data Monthly Summary Report - 2019

		January	February	March	April	May	June	July	August	September	October	November	December	TOTAL
Wastewater Plant Flows														
Influent Flow														
Total Influent Flow	m ³ /mon.	163,811	159,863	204,602	318,649	261,392	221,168	272,857	238,683	346,346	492,203	226,130	196,218	3,101,922
Maximum Daily Influent Flow	m ³ /day	5,895	6,062	8,888	14,687	9,974	13,019	13,929	13,457	19,556	29,565	9,109	6,999	151,140
Minimum Daily Influent Flow	m ³ /day	4,870	5,128	5,647	6,572	7,467	6,054	6,301	6,435	8,262	9,205	6,164	5,859	77,964
Average Daily Influent Flow	m ³ /day	5,284	5,709	6,600	10,621	8,432	7,372	8,802	7,699	11,544	15,877	7,537	6,329	101,806
Effluent Flow														
Total Effluent Flow	m ³ /mon.	162,844	152,200	191,435	294,256	236,233	210,140	250,001	222,758	313,079	438,136	205,453	181,013	2,857,548
Average Daily Flow	m ³ /day	5,253	5,436	6,175	9,809	7,620	7,005	8,065	7,185	10,435	14,133	6,848	5,839	93,803
Samples														
Weekly Bacteriological --ALS Labs		5	4	4	5	4	4	5	4	4	5	4	4	52
Number of Raw Samples Taken		1	1	1	1	1	1	1	1	1	1	1	1	12
Number of Treated Samples Taken		5	4	4	5	4	4	5	4	4	5	4	4	52
Geometric Means (Bacti Samples)		10	10	10	10	10	10	15.52	10	22.79	22.21	10	10	
Sludge Hauled to Landfill	m ³ /mon	205.2	228	239.4	273.6	307.8	193.8	319.2	250.8	228	216	262.2	205	2,929
Callouts														
		1	0	1	2	0	6	7	8	9	4	0	21	59