

Sept. 30, 2009



**CITY COUNCIL  
COMMITTEE REPORT**

**TO: OPERATIONS COMMITTEE & MEMBERS OF COUNCIL**

**FR: Barbara A. Manson, Parks Supervisor  
Rick Perchuk, Operations Manager**

**RE: CONEY ISLAND WALK BRIDGE POLICY AMENDMENT**

**BACKGROUND:**

To ensure a consistent procedure of removal and installation of the walk bridge a Coney Island Walk Bridge Policy was created. This bylaw #71-2009 (see attached) sets out the procedures for installation and removal and a maintenance program for the bridge and includes the dimensions and construction of the bridge.

This policy requires an addition to the procedures. The addition will include the approval of the Navigable Waters Protection Officer of Transport Canada be required each year before installation of the walk bridge. The change is noted in red on the attached Policy.

**BUDGET:**

N/A

**COMMUNICATION PLAN/Notice By-law Requirements:**

By-Law & Resolution  
Barb Manson, Parks Supervisor  
Rick Perchuk, Operations Manager  
Mark Van Breda, Roads Supervisor  
Coney Island Committee

**RECOMMENDATION:**

THAT Council hereby authorizes the amended Coney Island Walk Bridge Installation & Removal Policy OP-7-1 to replace the existing Policy; and further,

THAT Council give three readings to a by-law for this purpose.